

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
24 April 2003 (24.04.2003)

PCT

(10) International Publication Number
WO 03/033008 A1

(51) International Patent Classification⁷: **A61K 35/78**

(21) International Application Number: **PCT/US01/19373**

(22) International Filing Date: **18 June 2001 (18.06.2001)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(71) Applicant and

(72) Inventor: **CHAMPON, Louis, S.** [US/JO]; 11112 Split
Rail Lane, Fairfax Station, VA 22039 (US).

(81) Designated States (*national*): AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, HR, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, UZ, VN, YU.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

(74) Agents: **OLTMAN, John, H.** et al.; Oltman, Flynn & Kubler, Suite 415, 915 Middle River Drive, Fort Lauderdale, FL 33304-3585 (US).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 03/033008 A1

BEST AVAILABLE COPY

(54) Title: **ALL NATURAL SOIL TREATMENT & INSECTICIDE COMPOSITION CONTAINING PLANT EXTRACT HEAT COMPONENTS**

(57) Abstract: This invention encompasses a chemical composition comprising heat components, mustard oil, lemon extract, vegetable oil, aldehyde and surfactants. The invention also encompasses a method of using said chemical composition as a soil treatment, insecticide, commodity fumigant and structural fumigant.

ALL NATURAL SOIL TREATMENT & INSECTICIDE
COMPOSITION CONTAINING PLANT EXTRACT HEAT
COMPONENTS

BACKGROUND OF THE INVENTION

5 Field of the Invention:

The invention relates to the fields of soil treatment, insecticides, commodity fumigation and structural fumigation.

10 Before crops are planted, the soil is chemically treated. Soil treatments sterilize the soil, killing the vast majority of organisms. By eliminating pests and disease, crop yields are increased.

Insecticides are used to control insect populations in areas such as crops, homes and food
15 storage areas.

Commodity fumigation is the sterilization of food during transportation and storage. Most commodities must be fumigated during importation and quarantine.

20 Structural fumigation is the sterilization of buildings. Structural fumigation also includes sterilizing a site of future construction.

Description of the Related Art

Currently, the most effective substance for soil treatment is methyl bromide. Methyl bromide is used
25 in the control of pest insects, nematodes, weeds, pathogens and rodents.

In the United States, about 27,000 tons of methyl bromide is used annually in agriculture, primarily for soil fumigation, as well as for commodity and quarantine treatment and structural fumigation. Globally, about 76,000 tons of methyl bromide are used each year.

When used as a soil treatment, methyl bromide is injected into the soil at a depth of 12 to 24 inches before a crop is planted. This will effectively sterilize the soil, killing the vast majority of soil organisms. Immediately after the methyl bromide is injected, the soil is covered with plastic tarps that hold most of the methyl bromide in the soil. The tarps are removed 24 to 72 hours later.

After the tarps are removed, much of the methyl bromide leaves the soil. The EPA estimates that about 50% to 95% of the methyl bromide in the soil eventually enters the atmosphere.

While methyl bromide in large doses can result in damage to the human nervous system and respiratory system, the greatest danger poised by methyl bromides is the damage to the ozone layer. According to the 1994 Assessment of Ozone Depletion, the Ozone Depletion Potential (ODP) of methyl bromide has been assessed to be 0.6. This makes the ODP of the methyl bromide fifty times more effective at destroying ozone than CFC's on a per molecule basis.

According to the Clean Air Act (1990 Amendments), all substances with an ODP of 0.2 or greater are to be phased out in the United States. This means that methyl bromide is being phased out. Starting January 1, 2001, the EPA will prohibit the production and importation of methyl bromide in the United States. Other nations such as the Netherlands and Denmark will ban the use of methyl bromide in 1998. In addition,

160 countries have signed the Montreal Protocol, a treaty calling for the levels of ozone-depleting chemicals to be frozen at 1991 levels. Finally, the EPA is lobbying for nations to stop using methyl bromide altogether.

In light of the environmental problems with methyl bromide, and the continuing need for a soil treatment, an environmentally safe chemical alternative has been sought. One broad group of naturally occurring products are plants with heat components such as peppers.

In the prior art, other uses and compositions involving the heat components, mustard oil and lemon extracts have been suggested. These compositions never combine all of the active ingredients. In addition, they do not provide methods of using a composition made by combining heat components, mustard oil and lemon extracts.

In U.S. patent 4,455,304, Yaralian discloses a composition for repelling animals having capsicum and finely divided garlic along with other inert ingredients. This patent only involves compositions made with garlic together with cayenne pepper, a pungent fruit borne by plants of the genus Capsicum. The patent also discloses a method of using said composition. The patent makes no mention of capsaicin with allyl isothiocyanate and lemon oil, in addition to inert ingredients. The disclosed method did not involve soil treatment.

In U.S. Patent 4,440,783, Downing discloses a composition for warding off animals such as raccoons, dogs and the like from garbage. The composition combines isothiocyanates with lemon grass oil. The patent does not disclose the use of capsaicin with other ingredients. The composition does not involve a wetting agent (surfactant) and the method does not

involve soil treatment.

In U.S. Patent 5,525,597, Hainrihar, et al. disclose an insecticide that combines normally-employed insecticides along with an activity-enhancing amount of capsaicin. The active ingredient in this formulation is the insecticide. The capsaicin ingredient used only enhances the active ingredient and is not active itself.

In U.S. Patent 5,240,708, Plumer, et al. disclose a method for preparing a solution that can be used to discourage spiders, insects and the like. The disclosed composition involves the use of capsicum agents incompatible with soil treatment because the soaps, acetic acid and levels of capsicum in the disclosed composition would also kill any plants that would be planted in the soil.

In U.S. Patent 5,674,496, Etscorn discloses a method of extracting capsaicinoids from peppers and then incorporating the extract in polymers. Etscorn never discloses combining capsaicinoids with other active ingredients. In addition, the method of using the composition as soil treatment is not contemplated by Etscorn.

SUMMARY OF THE INVENTION

The invention encompasses a chemical composition and a method of treating soil using the chemical composition.

The chemical composition is environmentally safe. The active ingredients in the composition are all plant extracts. In addition, all of the ingredients used are considered safe for use with food by the Food and Drug Administration (FDA). The result is composition that is safe for the environment and for use in growing food.

The first group of active ingredients involve the group compounds responsible for the "heat component" of taste comprising: capsaicin, ginger oil,

black pepper oil, ginger oleo resin, black pepper oleo resin, capsaicinoids, cassia oil, cinnamon leaf oil, cinnamon bark oil, cinnamic aldehyde, bitter almond oil and benzaldehyde. The heat component acts to burn
5 out insects, disease, toxins and other pests.

The next group of active ingredients are the mustard oils. The types of mustard oil comprise horseradish oil and allyl isothiocyanate. The mustard oil ingredients work by breaking down into cyanide
10 containing compounds.

The first inert ingredient is from the group of lemon extracts comprising lemon oil, d-limonene, citronella oil, litsea cubeba, orange terpenes, citrus terpenes, lemon terpenes, lime terpenes, lime oil,
15 orange oil, mandarin oil, and citral. Although considered inert by the EPA, lemon extracts still have sanitizing effect and work to sanitize different targets than the heat components and mustard oils.

The second inert ingredient is vegetable oil.
20 Any vegetable oil will work. Examples of suitable vegetable oils are soybean oil, corn oil, sweet almond oil, olive oil, avocado oil and safflower oil.

A final inert ingredient is a surfactant that acts as a wetting agent. The wetting agent helps
25 during the dilution of the chemical composition in water. The wetting agent also helps the chemical composition saturate the soil. A food grade surfactant should be used due to the composition's use as a soil treatment. An example of a suitable
30 surfactant is polysorbate 80.

The amount of active ingredients is governed by two opposing factors. First, enough active ingredient must be present so that the composition has its desired effect ____ sanitized soil. Second, the soil cannot
35 contain too much active ingredient, otherwise the composition will not only prevent pests; it will

prevent the desired plants as well.

The amount of surfactant is that necessary to wet fully the treated soil when the first dosage of composition is applied. This amount may change with
5 soil composition and crop type.

The balance of the composition is completed with vegetable oil.

The range of weight percentages of ingredients necessary to create efficacious composition are the
10 following:

	Heat component	2-15%
	Mustard oil	2-15%
	Lemon extract	5-80%
	Surfactant	10%
15	Vegetable Oil	0-81%

The chemical composition that is made out of combining the heat component, mustard oil and lemon extract has enhanced qualities when combined. First, a chemical composition that includes all three acts
20 as a "broad spectrum" treatment. Broad spectrum means that the one composition is effective at eliminating most diseases and pests. A broad spectrum composition has the advantage of only one application being necessary to treat an area. When narrow spectrum
25 compositions are used, a number of narrow spectrum applications must be made in order to protect against all types of disease and pests. Finally, as a replacement for Methyl Bromide, a chemical composition must be broad spectrum. Practices, procedures and
30 dispensing methods are all currently set for methyl bromide, a broad spectrum treatment.

In addition, when the ingredients are combined together and applied, the combined chemical composition is more efficacious than the sum of the
35 individual parts. The chemical components not only

have their usual action, they also make diseases and pests more susceptible to the other components.

The invention also encompasses several methods for the treatment of soil. The method involves
5 diluting the concentrated solution in water. The diluted solution is then sprayed into the ground to a depth of 12 to 24 inches. The amount sprayed is the quantity necessary to saturate the soil. This amount is between 1%-20% by weight of the soil being
10 treated. The amount depends on the type of soil being treated and the crop being grown.

The above described method of treating soil can be accomplished by injecting several types of plant extracts. First, the method can be accomplished by
15 injecting vegetable extracts containing a heat component. Second, the method can be accomplished by injecting capsaicin-containing extracts. Third, the method can be conducted using a chemical composition comprising: a heat component, mustard oil,
20 lemon extract, surfactant and vegetable oil.

The invention also encompasses a method for structural and commodity fumigation. Structural fumigation involves the treatment of buildings to remove pests and insects. Structural fumigation also
25 includes the treatment of soil before a building's foundation is placed upon it. Commodity fumigation is the removal of pests, insects and disease from food that is imported, quarantined or stored. An important consideration in commodity fumigation is that the
30 treated product will be consumed ultimately.

The method of structural and commodity fumigation involves diluting the concentrated chemical composition in water. Then compressed air is used
to vaporize the concentrated liquid. The vaporized
35 chemical composition is pumped into the treated area.

Typically, the treatment is made in a closed area so that the chemical composition is not allowed to dissipate. By holding the chemical composition in the treated areas, the chemical composition is given
5 enough time to act.

The invention also encompasses a method of using the composition as an insecticide. To use the composition as an insecticide, the concentrated composition is diluted in water. The diluted chemical
10 composition is then applied to the product. Preferably, the composition is added before infestation. However, if the product is already infested, the dilute chemical composition can be added with an increasing concentration depending on the
15 level of infestation.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

The invention encompasses a chemical composition usable for the treatment of soil. In its preferred embodiment, the composition has the following
20 ingredients:

	Capsaicin and related capsaicinoids	4.94%
	(in capsicum oleoresin)	
	Allyl isothiocyanate	4.43%
	(in food grade Mustard Oil)	
25	Lemon extract	40.00%
	Soybean oil	32.64%
	Polysorbate 80	10.00%
	(Tween 80 food grade)	
	Capsicum oleo resins less active	7.99%

(30 The preferred method of using the composition is to dilute it to 5% or 10% by weight in water. The dilution depends on the type of soil and crop. The dilute composition containing solution is then added to the soil. The amount to be added is the quantity
35 necessary to saturate the soil. In sifted soil, the

amount is 3.33% by volume of the soil.

An experiment was run to test the efficacy of the composition and the method. The composition and method were tested on sterile soil with added *fusarium oxysporum* f. sp. *Chrysanthemi* (hereinafter "F.o.c"), a widespread and destructive disease of horticultural crops. The density of the F.o.c. in the soil was 1.1×10^6 spores/cm³. The concentrated composition was diluted with water to 1%, 5%, and 10% (by weight) aqueous solutions. Next, 5.0 ml of each dilution were added to 150 ml of infected soil. Population densities of F.o.c. were then taken at 1,3,7,14 and 21 days after treatment. As controls, an untreated, infected sample was tested.

The results of the experiment are presented in the following table:

		Time	(days)		
	1	3	7	14	21
Untreated	5.40	5.45	5.48	5.40	5.32
1%	5.26	5.43	5.22	5.30	5.40
5%	5.02	1.91	1.85	3.59	4.49
10%	3.32	1.31	1.55	2.00	3.02

The values in the table are mean values that are \log_{10} transformation of colony forming units (CFU) per cubic centimeter (cm³) of soil. Data represents the average of 2-6 experiments with three replications per treatment per experiment.

The results show that the composition significantly reduced the population density of F.o.c. compared to the untreated infected control soil when added to soil as either a 5% or 10% aqueous emulsion:

10

the soil populations of F.o.c. were the lowest between 3 and 7 days.

The preferred embodiment of a method for structural and commodity fumigation follows: diluting the concentrated chemical composition to ten percent (10%) by weight in water; pressurizing the dilute chemical composition with air forcing the chemical composition into a gaseous state; filling the treatment area with the gaseous chemical composition; keeping the treated area closed for a period long enough that chemical composition can act.

The following is the preferred embodiment for a method of killing insects with the chemical composition. The concentrated chemical composition is diluted according to the following table, depending on the level of infestation and the amount of diluted product needed, and the mix amount needed.

Level of Infestation	Amount of Diluted Product (Gal)		
	1	20	200
Normal	1.5 oz.	30 oz.	300 oz.
Heavy	2.4 oz.	48 oz.	480 oz.

Once diluted, the method of applying the mixture can be by hand, ground machine or aurally. When applying by hand, to obtain maximum benefits, apply every 7 to 10 days before infestation begins. If infestation is present, apply 1 1/2 oz. of chemical composition concentrate per gallon of water every four to five days and increase to 3 oz. per gallon of water after ten days. Fruits and vegetables treated with

11

the chemical composition may be thoroughly washed and eaten the same day as application.

The method of applying by ground machine or aerial application is to apply the diluted chemical composition at a rate of 20 gallons per acre.

5 When using the chemical composition as an insecticide, apply as a full coverage, making sure both sides of the leaves are covered. Apply during cool periods of the day. Apply as a preventative treatment prior to infestation. Make the first
10 application at pollar emergence and repeat on a 10-14 day spray schedule to maintain the repelling effect. Do not apply prior to or during pollination as the chemical composition kills and repels bees, and, therefore, adversely affects pollination.

15 Another embodiment of the composition comprises:
a heat component as an active ingredient wherein said heat component is a plant extract selected from the group consisting of capsaicin, ginger oil, black pepper oil, ginger oleo resin, black pepper oleo
20 resin, capsaicinoids, cassia oil, cinnamon leaf oil, cinnamon bark oil, cinnamic aldehyde, and bitter almond oil;

a mustard oil as an active ingredient wherein said mustard oil is selected from the group consisting
25 of horseradish oil and allyl isothiocyanate; and the following inert ingredients;

a citrus extract selected from the group consisting of lemon oil, d-limonene, citronella oil, litsea cubeloa, lime oil, orange oil, mandarin oil,
30 lemon terpenes, lime terpenes, orange terpenes, citrus terpenes and citral;

a surfactant chosen from the group of food grade surfactants comprising polysorbate 80;

.12

a vegetable oil selected from the group consisting of soybean oil, corn oil, sweet almond oil, olive oil, avocado oil, and safflower oil;

and an aldehyde;

5 wherein the chemical composition comprises:

by weight, 2-15% said heat component;

by weight, 2-15% said mustard oil;

by weight, 5-80% said citrus extract;

by weight, about 10% said surfactant;

10 by weight, about 2-80% of said aldehyde;

with said vegetable oil forming the balance of the composition.

The preferred composition comprises:

.50% capsaicin;

15 4.00% allyl isothiocyanate;

20.00% Benzaldehyde;

33.00% Lemon Compound;

32.50% Soybean Oil;

10.00% Polysorbate 80.

I CLAIM:

1. A chemical composition for soil-sanitizing treatment comprising:

5 a heat component as an active ingredient wherein said heat component is a plant extract selected from the group consisting of capsaicin, ginger oil, black pepper oil, ginger oleo resin, black pepper oleo resin, capsaicinoids, cassia oil, cinnamon leaf oil, cinnamon bark oil, cinnamic aldehyde, and bitter
10 almond oil;

a mustard oil as an active ingredient wherein said mustard oil is selected from the group consisting of horseradish oil and allyl isothiocyanate; and the following inert ingredients;

15 a citrus extract selected from the group consisting of lemon oil, d-limonene, citronella oil, litsea cubeloa, lime oil, orange oil, mandarin oil, lemon terpenes, lime terpenes, orange terpenes, citrus terpenes and citral;

20 a surfactant chosen from the group of food grade surfactants comprising polysorbate 80;

a vegetable oil selected from the group consisting of soybean oil, corn oil, sweet almond oil, olive oil, avocado oil, and safflower oil;

25 and an aldehyde;

wherein the chemical composition comprises:

by weight, 2-15% said heat component;

by weight, 2-15% said mustard oil;

by weight, 5-80% said citrus extract;

30 by weight, about 10% said surfactant;

by weight, about 2-80% of said aldehyde;

with said vegetable oil forming the balance of the composition.

14

2. The chemical composition of claim 1 wherein
said composition comprises;

- .50% capsaicin;
- 4.00% allyl isothiocyanate;
- 5 20.00% Benzaldehyde;
- 33.00% Lemon Compound;
- 32.50% Soybean Oil;
- 10.00% Polysorbate 80.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/10979

A. CLASSIFICATION OF SUBJECT MATTER		
IPC(7) :A61K 35/78		
US CL :424/195.18, 725, 734, 736, 739, 757, 760		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
U.S. : 424/195.18, 725, 734, 736, 739, 757, 760		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)		
WEST		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,466,459 A (WILSON) 14 November 1995, columns 2-6 and claims.	1-2
A	US 5,525,597 A (HAINRIHAR et al) 11 June 1996, column 3, line 28 - column 6, line 50.	1-2
A	US 5,240,708 A (PLUMMER et al) 31 August 1993, see entire document.	1-2
<input type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
-	Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A"	document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E"	earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"A" document member of the same patent family
"O"	document referring to an oral disclosure, use, exhibition or other means	
"P"	document published prior to the international filing date but later than the priority date claimed	
Date of the actual completion of the international search		Date of mailing of the international search report
30 JULY 2001		29 AUG 2001
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer CHRISTOPHER TATE <i>Rey Wally</i> Telephone No. (703) 308-0196

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Page Blank (uspto)